

Safety Data Sheet Cinnamon Leaf Essential Oil Revision 3, Date 27/10/2022

In accordance with UN GHS latest edition

1. IDENTIFICATION

Product Name: Cinnamon Leaf Essential Oil

Product Use Description: Fragrance

Contact Information: Organisation Location Telephone Ask For

Adelaide Moulding 7 Woodlands Terrace 08 8294 0451 SDS Officer

and Candle Supplies Edwardstown South
Australia 5039

Poisons Information 13 11 26

Centre

2. HAZARD IDENTIFICATION

Classification of Substance

of Mixture: H304: Skin sens.1

H312: Harmful in contact with skin
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H341: Suspected of causing genetic defects.

H412: Harmful to aquatic life with long lasting effect.

Signal Word: Danger

Hazard Statements (s): H304, May be fatal if swallowed and enters airways.

H317: May cause an allergic skin reaction. H319, Causes serious eye irritation. H341: Suspected of causing genetic defects/

H350: May cause cancer

H411, Toxic to aquatic life with long lasting effects.

Precautionary Statements(s): P102: Keep out of reach of children.

P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P211: Do not spray on an open flame or other ignition source.

P212: Avoid heating under confinement or reduction of the desensitising agent.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P331, Do not induce vomiting.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Hazard Pictogram(s):



Other hazards: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Mana	CAC	0/	CUC Classification
Name	CAS	%	GHS Classification

Benzyl benzoate	120-51-4	≤7%	GHS07, GHS09, H302, H411
Beta-Caryophyllene	87-44-5	≤4%	GHS08, H304
Cinnamic aldehyde	104-55-2	≤3%	GHS07, H312, H315, H317, H319
Eugenol	97-53-0	≤85%	GHS07, H317, H319
Eugenyl acetate	93-28-7	≤8%	GHS07, H302

Substances with Community workplace exposure limits,

Not Applicable

not listed above:

4. FIRST AID MEASURES

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye Exposure: IF IN EYES: Rinse immediately with plenty water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Contact a doctor if symptoms persist.

Skin Exposure: IF ON SKIN: Remove contaminated clothes. Wash thoroughly with soap and water, flush with plenty

water. If irritations persist, seek medical advice.

Ingestion: IF SWALLOWED: Rinse mouth out with water. Immediately call a POISON CENTER or

doctor/physician.

Most important symptoms

and effects, both acute and

delayed:

May be fatal if swallowed and enters airways.

May be harmful in contact with skin. Causes skin irritation. Causes serious eye irritation.

Indication of any immediate medical attention and special

treatment needed:

None expected, see Section 4.1 for further information.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Carbon dioxide, Dry chemical, Foam type extinguishers.

Extinguishing media to base of flames. Do not use direct water. Spraying recommended:

Special hazards arising from

substance or mixture:

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Avoid vapour inhalation. In case of insufficient ventilation, wear suitable respiratory equipment and **Advice for Fire Fighters:**

protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Protective precautions, Avoid inhalation.

protective equipment Avoid contact with skin and eyes.

and emergency procedures: See protective measures under Section 7 and 8.

Environmental Precautions: Keep away from drains, surface and ground water, and soil.

Methods and Suitable materials

Remove ignition sources. for spill containment: Provide adequate ventilation.

Avoid excessive inhalation of vapours.

Contain spillage immediately by use of sand or inert powder.

Dispose of according to local regulations.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace

Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Edwardstown SA 5039 Web: www.amcsupplies.com.au ABN: 85 765 232 986 Page 2 of 6 Reference to other sections: Also refer to sections 8 and 13.

7. HANDLING AND STORAGE

Precautions for safe handling: Keep away from heat, sparks, open flames and hot surfaces. No smoking. Use personal protective

equipment as required. Use in accordance with good manufacturing and industrial hygiene practices.

Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities: Store in a well-ventilated place. Keep container tightly closed. To prevent congealing and denaturing it is recommended that goods are stored at temperatures between 15 - 30°C. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only

non-sparking tools. Take precautionary measures against static discharge.

Specific end use(s): Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Not Applicable Workplace exposure limits:

Exposure Controls

Eye / Skin Protection Wear protective gloves/eye protection/face protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of **Respiratory Protection**

excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel:

a) Increase ventilation of the area with local exhaust ventilation.

b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters.

c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear brownish yellow to red brown.

Odour: Spicy, warm cinnamon.

Odour threshold: Not determined pH: Not determined Melting point / freezing point: Not determined Initial boiling point / range: Not determined Flash point: > 88 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability Product does not present an explosion hazard

or explosive limits:

Vapour pressure: Not determined Vapour density: Not determined Relative density: 1.030-1.060 Solubility(ies): Not determined Partition coefficient: Not determined n-octanol/water: Not determined Auto-ignition temperature: Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected **Oxidising properties:** Not expected

Other information: None available

10. STABILITY AND REACTIVITY

Reactivity Hazards: Presents no significant reactivity hazard, by itself or in contact with water.

Chemical Stability: Good stability under normal storage conditions.

Hazardous Reactions: Not expected under normal conditions of use.

Conditions to Avoid: Avoid extreme heat.

Incompatibles: Avoid contact with strong acids, alkalis, or oxidising agents.

Hazardous Decomposition Not expected.

Products:

Skin corrosion/irritation:

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Acute Toxicity: Acute Toxicity - Dermal Category 5

> Acute Toxicity Oral: >5000 Acute Toxicity Dermal: 3662

Acute Toxicity Inhalation: Not Available Skin Corrosion / Irritation Category 2 Serious eye damage/irritation: Eye Damage / Irritation Category 2 Respiratory or skin sensitisation: Sensitization - Skin Category 1

Based on available data the classification criteria are not met. Germ cell mutagenicity: Carcinogenicity: Based on available data the classification criteria are not met. Reproductive toxicity: Based on available data the classification criteria are not met. STOT-single exposure: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. STOT-repeated exposure:

Aspiration Hazard Category 1 Aspiration hazard:

Information about hazardous ingredients in the mixture:

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Citral	5392-40-5	Not available	2250	Not available	Not available
Eucalyptol	470-82-6	2480	Not available	Not available	Not available
Geraniol	106-24-1	3600	Not available	Not available	Not available
alpha Pinene	80-56-8	3500	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information

12. ECOLOGICAL INFORMATION

Toxicity: Toxic to aquatic life with long lasting effects.

Persistence and degradability: Not Available

Bioaccumulative potential: Not Available

Mobility in soil: Not Available

Other Adverse Effects: Not Available

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the

environment. Empty containers should be taken to an approved waste handling site for recycling or

Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au

Page 4 of 6

14. TRANSPORT INFORMATION

	UN Number	UN Proper Shipping Name	Transport	Sub Risk	Packing
			hazard		Group
			class(es)		
UN Model	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	III
Regulations		SUBSTANCE, LIQUID, N.O.S. (alpha			
		Pinene, l-Limonene)			
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	III
		SUBSTANCE, LIQUID, N.O.S. (alpha			
		Pinene, l-Limonene) MARINE			
		POLLUTANT			
ADR,RID,AND	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	III
		SUBSTANCE, LIQUID, N.O.S. (alpha			
		Pinene, l-Limonene)			
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	III
		SUBSTANCE, LIQUID, N.O.S. (alpha			
		Pinene, l-Limonene)			

Environmental Hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is

classified as a Marine Pollutant under the IMDG Code.

Special Precautions for user: None additional

Transport in bulk according to Annex II of MARPOL73/78 and

the IBC Code:

Not applicable

15. REGULATORY INFORMATION

Regulatory Information: None additional

16. OTHER INFORMATION

Concentration % Limits: EH A2=9.68% EH A3=0.96714807% EH C2=12.69% EH C3=1.27% SCI 2=12.25% SCI 3=1.18% EDI

2A=13.58% SS 1=1.63% AH 1=45.83%

Total Fractional Values: EH A2=10.33 EH A3=103.40 EH C2=7.88 EH C3=78.77 SCI 2=8.17 SCI 3=84.61 EDI 2A=7.36 SS 1=61.44 AH

1=2.18

Key to revisions: Concentration % Limits

GHS Workplace Exposure Limits

Hazardous Ingredients declared in a GHS Product Identifier Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients

Total Fractional Values

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 5	Acute Toxicity – Oral Category 5
Acute Tox. 5	Acute Toxicity – Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2

Flam. Liq. 4 Flamma H226 Flamma H227 Combus H303 May be H304 May be H313 May be H315 Causes H316 Causes H317 May cau H318 Causes	able Liquid, Hazard Category 3 able Liquid, Hazard Category 4 able liquid and vapour. stible liquid. harmful if swallowed. fatal if swallowed and enters airways. harmful in contact with skin. skin irritation. mild skin irritation. use an allergic skin reaction. serious eye damage. serious eye irritation.
H226 Flamma H227 Combus H303 May be H304 May be H313 May be H315 Causes H316 Causes H317 May cau H318 Causes	stible liquid and vapour. stible liquid. harmful if swallowed. fatal if swallowed and enters airways. harmful in contact with skin. skin irritation. mild skin irritation. use an allergic skin reaction. serious eye damage.
H227 Combus H303 May be H304 May be H313 May be H315 Causes H316 Causes H317 May cau H318 Causes	stible liquid. harmful if swallowed. fatal if swallowed and enters airways. harmful in contact with skin. skin irritation. mild skin irritation. use an allergic skin reaction. serious eye damage.
H303 May be H304 May be H313 May be H315 Causes H316 Causes H317 May cau H318 Causes	harmful if swallowed. fatal if swallowed and enters airways. harmful in contact with skin. skin irritation. mild skin irritation. use an allergic skin reaction. serious eye damage.
H313 May be H315 Causes H316 Causes H317 May cau H318 Causes	harmful in contact with skin. skin irritation. mild skin irritation. use an allergic skin reaction. serious eye damage.
H313 May be H315 Causes H316 Causes H317 May cau H318 Causes	harmful in contact with skin. skin irritation. mild skin irritation. use an allergic skin reaction. serious eye damage.
H315 Causes I H316 Causes I H317 May cau H318 Causes I	skin irritation. mild skin irritation. use an allergic skin reaction. serious eye damage.
H316 Causes H317 May cau H318 Causes	use an allergic skin reaction. serious eye damage.
H318 Causes	serious eye damage.
H318 Causes	serious eye damage.
	aquatic life.
	I to aquatic life.
	xic to aquatic life with long lasting effects.
	I to aquatic life with long lasting effects.
	vay from heat, sparks, open flames and hot surfaces No smoking.
	intainer tightly closed.
	/bond container and receiving equipment.
	losion-proof electrical, ventilating and lighting equipment.
	y non-sparking tools.
	ecautionary measures against static discharge.
	reathing vapour or dust.
	ands and other contacted skin thoroughly after handling.
	inated work clothing should not be allowed out of the workplace.
	elease to the environment.
	rotective gloves/eye protection/face protection.
	LOWED: Immediately call a POISON CENTER or doctor/physician.
· · · · · · · · · · · · · · · · · · ·	KIN: Wash with plenty of soap and water.
· · · · · · · · · · · · · · · · · · ·	KIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with
water/s	
	ES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
1 ' '	y to do. Continue rinsing.
	ately call a POISON CENTER or doctor/physician.
P312 Call a P0	OISON CENTRE or doctor/physician if you feel unwell.
P331 Do not i	induce vomiting.
P332/313 If skin ir	ritation occurs: Get medical advice/attention.
P333/313 If skin ir	ritation or rash occurs: Get medical advice/attention.
P337/313 If eye irr	ritation persists: Get medical advice/attention.
P362 Take off	f contaminated clothing and wash before reuse.
P363 Wash co	ontaminated clothing before reuse.
P370/378 In case of	of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391 Collect s	spillage.
	a well-ventilated place. Keep cool.
P405 Store lo	cked up.
P501 Dispose	of contents/container to approved disposal site, in accordance with local regulations.
· · · · · · · · · · · · · · · · · · ·	rrosion / Irritation Category 2
	rrosion / Irritation Category 3
	ation - Skin Category 1
	ation - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.