

Safety Data Sheet Coconut Vanilla Fragrance Revision 1, Date 16/06/2021

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

1. IDENTIFICATION

Product Name: Coconut Vanilla Fragrance

Other Names:

Product Use Description: Fragrance for Consumer Product.

Contact Information: Organisation Location

OrganisationLocationTelephoneAsk ForAdelaide Moulding7 Woodlands Terrace08 8294 0451SDS Officer

and Candle Supplies Edwardstown, South Australia, 5039

Poisons Information 13 11 26

Centre

2. HAZARD IDENTIFICATION

Classification of Substance Flammable Liquids (Category 4)
of Mixture: Acute Toxicity - Oral Category 5

Acute Toxicity - Oral Category 5 Skin Corrosion / Irritation Category 3 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Statements (s): H227 Combustible liquid.

H303 May be harmful if swallowed. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements(s): P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261 Avoid breathing vapour or dust.

P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection. P302/352 IF ON SKIN: Wash with plenty of soap and water.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391 Collect spillage.

P403/235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to approved disposal site, in accordance with local regulations.

Other Hazards: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Description	CAS No	EC No	Concentration	GHS Classification	
Diethyl phthalate	84-66-2	201-550-6	20-<50%	Skin Irrit. 3-Aquatic Acute 3;H316-H402	
Benzyl benzoate	120-51-4	204-402-9	20-<50%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400- H411	
Ethyl vanillin	121-32-4	204-464-7	10-<20%	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-H402	
Vanillin	121-33-5	204-465-2	5-<10%	Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H319-H402	
Ethyl maltol	4940-11-8	225-582-5	1-<5%	Acute Tox. 4;H302	
Coumarin	91-64-5	202-086-7	1-<5%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-H317-H402	
p-Methoxybenzaldehyde	123-11-5	204-602-6	1-<5%	Acute Tox. 5-Aquatic Acute 3;H303-H402	
Piperonal	120-57-0	204-409-7	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401	
gamma-Nonalactone	104-61-0	203-219-1	1-<5%	Skin Irrit. 3;H316	
Butyl butyryllactate	7492-70-8	231-326-3	1-<5%	Skin Irrit. 3;H316	
Limonene	5989-27-5	227-813-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	
2-Ethyl-4-(2,2,3-trimethyl- 3-cyclopenten- 1-yl)-2-buten-1-ol	28219-61-6	248-908-8	0.1-<1%	Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 1;H319- H410	
gamma-Nonalactone	104-61-0	203-219-1	20-<50%	Skin Irrit. 3;H316	
Diethyl phthalate	84-66-2	201-550-6	20-<50%	Skin Irrit. 3-Aquatic Acute 3;H316-H402	
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta- gamma-2- benzopyran	1222-05-5	214-946-9	10-<20%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316-H410	
Coumarin	91-64-5	202-086-7	5-<10%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-H317-H402	
Limonene	5989-27-5	227-813-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	
Ethyl maltol	4940-11-8	225-582-5	1-<5%	Acute Tox. 4;H302	
delta-Decalactone	705-86-2	211-889-1	1-<5%	Flam. Liq. 4-Aquatic Acute 3;H227-H402	
Ethyl vanillin	121-32-4	204-464-7	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-H402	
Allyl hexanoate	123-68-2	204-642-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3-Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 3;H227-H301-H311-H331-H400-H412	

Allyl (3- methylbutoxy)acetate	67634-00-8	266-803-5	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Skin Irrit. 2- Aquatic Acute 2;H227-H302-H315-H401
Allyl cyclohexanepropionate	2705-87-5	220-292-5	0.1-<1%	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4-Skin Sens. 1-Aquatic Acute 1-Aquatic Chronic 1;H302-H312-H317-H332-H410
Terpinolene	586-62-9	209-578-0	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3- Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H227-H303-H304- H316-H317-H410
Butylated hydroxytoluene	128-37-0	204-881-4	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410
Citral	5392-40-5	226-394-6	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2ASkin Sens. 1B-Aquatic Acute 2;H313- H315-H317-H319-H401
Linalyl acetate	115-95-7	204-116-4	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H315-H319-H402
Citronellol	106-22-9	203-375-0	0.1-<1%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2- Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401
Linalool	78-70-6	201-134-4	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3; H227-H303-H315-H317-H319-H402
Beta-Pinene	127-91-3	204-872-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410

Substances with Community workplace exposure limits, not listed above:

Description	CAS No	EC No	Concentration
Butylated hydroxytoluene	128-37-0	204-881-4	0.50%
Diethyl phthalate	84-66-2	201-550-6	43.65%

4. FIRST AID MEASURES

Ingestion: Call a POISON CENTRE or doctor/physician if you feel unwell.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Most important symptoms and effects both acute and delayed:

May be harmful if swallowed. Causes mild skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

Indication of any immediate medical attention and special

None expected.

treatment needed:

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Carbon dioxide, Dry chemical, Foam.

Special hazards arising from the substance or mixture:

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Unsuitable extinguishing media: Do not use solid water stream as it may scatter and spread fire.

Advice for Fire Fighters: Avoid inhalation of generated fumes or vapours. Use appropriate respiratory equipment.

Hazchem Code: N/A

6. ACCIDENTAL RELEASE MEASURES

Protective Equipment: Avoid inhalation. Avoid contact with skin and eyes.

Emergency Procedures: No specific advice other than above.

Environmental Precautions: Keep away from drains, surface and ground water, and soil. Should not be released into the

Methods and Suitable materials for containment and cleaning up:

To contain a spill dam up. Remove ignition sources and ventilate area. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder.

Dispose of according to local regulations.

7. HANDLING AND STORAGE

Keep away from heat, sparks, open flames, and hot surfaces. - No smoking. Measures to prevent fire:

Precautions for safe handling: Use personal protective equipment as required. Use in accordance with good manufacturing and

> industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink, or smoke when using this product. Wash any exposed skin immediately after chemical contact, before breaks and

meals, and at the end

of each work period. Contaminated clothing and shouse should be thoroughly cleaned before reuse

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and Safe storage:

receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only

non-sparking tools. Take precautionary measures against static discharge.

Use in accordance with good manufacturing and industrial hygiene practices. Dispose of rinse water Specific end use(s):

in accordance to local and national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m3	Reference
Butylated hydroxytoluene	128-37-0	204-881-4	Long-term exposure limit (8-	-	-	-
			hour TWA reference period)			
			Short-term exposure limit	-	-	-
			(15-minute reference period)			
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-	-	-	-
			hour TWA reference period)			
			Short-term exposure limit	-	-	-
			(15-minute reference period)			

Exposure Controls

Eye / Skin Protection: Wear protective gloves/eye protection/face protection. Avoid eye contact. Use safety glasses with side

shield or goggles.

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour **Respiratory Protection:**

and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective

measures:

a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters.

c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker

Adelaide Moulding and Candle Supplies

7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986

d) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Conforms to Standard
Aroma/Odour: Conforms to Standard
pH: Not determined
Initial boiling point/range: Not determined

Flash Point (closed cup test): > 90 °C

Vapour pressure:Not determinedRelative density:1.1366 – 1.1506Solubility(ies):Not determinedOther information:None available

10. STABILITY AND REACTIVITY

Reactivity Hazards: Presents no significant reactivity hazard, by itself or in contact with water.

Chemical Stability: Good stability under normal storage conditions.

Hazardous Reactions: Not expected under normal conditions of use.

Conditions to Avoid: Avoid extreme heat.

Incompatibles: Avoid contact with strong acids, alkalis, or oxidising agents.

Hazardous Decomposition Not expected. Stable under ordinary conditions of use and storage.

Products:

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

May be harmful if swallowed. Causes mild skin irritation. May cause an allergic skin reaction.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: 3491 - >5000

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available Inhalation Route: Not Available

Information about hazardous Ingredients in the Mixture:

Ingredient	CAS	EC	LD50/ATE	LD50/ATE	LC50/ATE	LC50
			Oral	Dermal	Inhalation	Route
Allyl hexanoate	123-68-2	204-642-4	300	300	3	Vapour
Benzyl benzoate	120-51-4	204-402-9	1500	4000	Not available	Not available
Coumarin	91-64-5	202-086-7	500	Not	Not available	Not available
				available		
Ethyl maltol	4940-11-8	225-582-5	1200	Not	Not available	Not available
				available		

12. ECOLOGICAL INFORMATION

Toxicity: Harmful to aquatic life with long lasting effects.

Persistence and degradability: Not Available.

Bioaccumulative potential: Not Available.

Mobility in soil: Not Available.

PBT and vPvB Assessment: This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

Other Adverse Effects: Not Available

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the

environment. Empty containers should be taken to an approved waste handling site for recycling or

14. TRANSPORT INFORMATION

UN Number: UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. **UN Proper Shipping Name:**

(1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-

benzopyran, Limonene)

Transport Hazard Class(es):

Sub Risk: Not classified

Ш **Packing Group:**

Environmental Hazards: Not environmentally hazardous for transport

Special Precautions for user: None additional

Transport in bulk according to

Annex II of MARPOL73/78 and

the IBC Code:

Not applicable

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations Specific for the substance or mixture

Water Hazard Class (WGK)

Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this product.

Concentration % Limits: EH A2=12.17% EH A3=1.18% EH C3=10.86% SCI 3=20.79% EDI 2A=45.

45% EDI 2B=80.00% SS 1=50.00%

EH A2=11.76% EH A3=1.16% EH C2=12.25% EH C3=1.22% SCI 3=7.

95% SS 1=18.18%

Total Fractional Values: EH A2=8.22 EH A3=84.98 EH C3=9.21 SCI 3=4.81 EDI 2A=2.20 EDI

2B=1.25 SS 1=2.00

EH A2=8.51 EH A3=86.56 EH C2=8.17 EH C3=81.66 SCI 3=12.58 SS 1=5.50

16. OTHER INFORMATION

Abbreviations & Acronyms

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity – Oral Category 3
Acute Tox. 3	Acute Toxicity – Dermal Category 3
Acute Tox. 3	Acute Toxicity – Inhalation Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4

Acute Tox. 4	Acute Toxicity Dormal Category A
Acute Tox. 4	Acute Toxicity - Dermal Category 4
	Acute Toxicity - Inhalation Category 4
Acute Tox. 5 Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aguatic Acute 1	Acute Toxicity - Oral Category 5
	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq.4	Flammable Liquid, Hazard Category 4
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
P311	Call a POISON CENTRE or doctor/physician.
P312	do. Continue rinsing.
P330	Call a POISON CENTRE or doctor/physician if you feel unwell.

P331	Rinse mouth.
P332/313	Do not induce vomiting.
P333/313	If skin irritation occurs: Get medical advice/attention.
P337/313	If skin irritation or rash occurs: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization – Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

Further Information

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.