

Safety Data Sheet Fresh Pine and Fir Needle Revision 1, Date 28/07/2020 Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

1. IDENTIFICATION

Product Use Description: Contact Information:

Product Name:

Other Names:

Fresh Pine & Fir Needle Fragrance

Organisation	Location	Telephone	Ask For
Adelaide Moulding	7 Woodlands Terrace	08 8294 0451	SDS Officer
and Candle Supplies	Edwardstown South		
	Australia 5039		
Poisons Information		13 11 26	
Centre			

2. HAZARD IDENTIFICATION

XL.

Classification of Substance	Flammable Liquid, Hazard Category 4
of Mixture:	Skin Corrosion / Irritation Category 2
	Eye Damage / Irritation Category 2
	Sensitization - Skin Category 1
	Hazardous to the Aquatic Environment - Acute Hazard Category 2
	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
	H227 Combustible liquid.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H411 Toxic to aquatic life with long lasting effects.

Hazard Pictogram(s):

Signal Word:	WARNING	
Hazard Statements (s):	H227 Combustible liquid. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.	
Precautionary Statements(s):	 P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P302/352 IF ON SKIN: Wash with plenty of soap and water. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to approved disposal site, in accordance wit 	
Adelaide Moulding and Candle	Supplies	Phone: +61 8 829/

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 Revision 1 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au ABN: 85 765 232 986 Page 1 of 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

EC No	CAS No	Description GHS Classification		Concentration
201-550-6	84-66-2	Diethyl phthalate	te Skin Irrit. 3-Aquatic Acute 3;H316-H402	
204-727-6	125-12-2	Isobornyl acetate	acetate Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2; H227-H316-H401	
201-134-4	78-70-6	Linalool Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Ey Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3; H227-H303-H315-H317-H319-H402		1-<5%
204-262-9	118-58-1	Benzyl salicylate		
228-408-6	6259-76-3	Hexyl salicylate	Skin Irrit. 2-Skin Sens. 1-Aquatic Acute 1- Aquatic Chronic 1;H315-H317-H410	1-<5%
204-116-4	115-95-7	Linalyl acetate	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H315-H319-H402	1-<5%
904-693-9	8007-35-0	Terpinyl acetate (Isomer mixture)	Skin Irrit. 3-Aquatic Acute 2;H316-H401	1-<5%
203-161-7	103-95-7	2-Methyl-3-(p- isopropylphenyl) propionaldehyde	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2- Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315-H317-H401- H412	1-<5%
242-362-4	18479-58-8	Dimyrcetol	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3;H227-H303- H315-H319-H402	1-<5%
246-495-9	24851-98-7	Methyl dihydrojasmonate		
201-061-8	77-83-8	Ethyl methylphenylglycidate	ethylphenylglycidate Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H317-H411	
201-291-9	80-56-8	alpha Pinene	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2- Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H303-H304- H315-H317-H410	1-<5%
229-352-5	6485-40-1	l-Carvone	Flam. Liq. 4-Acute Tox. 5-Skin Sens. 1B Aquatic Acute 2;H227-H313-H317-H401	1-<5%
202-086-7	91-64-5	Coumarin	Acute Tox. 4-Skin Sens. 1B-Aquatic 1-<5 Acute 3;H302-H317-H402	
203-113-5	103-45-7	Phenethyl acetate	Acute Tox. 5-Eye Dam. 1;H303-H318	1-<5%
251-020-3	32388-55-9	Acetyl cedrene	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316-H317-H410	0.1-<1%
250-954-9	32210-23-4	4-tert-Butylcyclohexyl acetate	Acute Tox. 5-Skin Sens. 1B-Aquatic 0.1- Acute 2;H303-H317-H401	
204-881-4	128-37-0	Butylated hydroxytoluene	toluene Aquatic Acute 1-Aquatic Chronic 1;H410	
915-730-3	54464-57-2	1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8- tetramethyl-2- naphthalenyl)ethanone	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401- H410	0.1-<1%
227-813-5	5989-27-5	Limonene	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp.0.1-<1Tox 1-Aquatic Acute 1-AquaticChronic 1;H226-H304-H315-H317-H410	
204-872-5	127-91-3	beta-Pinene	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. 0.1-< Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	
227-815-6	5989-54-8	l-Limonene	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	0.1-<1%

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 Revision 1 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au ABN: 85 765 232 986 Page 2 of 6

202-589-1	97-53-0	Eugenol	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2ASkin Sens. 1B-Aquatic Acute 2;H303- H316-H317-H319-H401	0.1-<1%	
220-292-5	2705-87-5	Allyl cyclohexanepropionate	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4- Skin Sens. 1-Aquatic Acute 1-Aquatic Chronic 1;H302-H312-H317-H332-H410	0.1-<1%	
207-418-4	469-61-4	alpha-Cedrene	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1;H304-H316-H410	0.1-<1%	
201-234-8	79-92-5	Camphene	Flam. Liq. 3-Flam. Sol. 2-Eye Irrit. 2BAquatic Acute 1-Aquatic Chronic 1;H226- H228-H320-H410	0.1-<1%	
203-765-0	110-41-8	2-Methylundecanal	Flam. Liq. 4-Skin Irrit. 2-Skin Sens. 1BAquatic Acute 1-Aquatic Chronic 1;H227- H315-H317-H410	0.1-<1%	
207-431-5	470-82-6	Eucalyptol	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3- Skin Sens. 1B;H226-H303-H316-H317	0.1-<1%	
939-604-2	68039-49-6	2,4-Dimethyl-3-cyclohexen- 1-Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2- Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H315-H317-H411		0.1-<1%	
203-375-0	106-22-9	Citronellol	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2- Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401	0.1-<1%	
	1335-66-6	Isocyclocitral	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2- Aquatic Chronic 3;H227-H303-H315- H317-H319-H401-H412	0.1-<1%	
218-690-9	2216-51-5	l-Menthol	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H303-H315-H319-H402	0.1-<1%	
236-719-3	13466-78-9	delta-3-Carene	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2- Skin Sens. 1B-Asp. Tox 1;H226-H303- H304-H315-H317	0.1-<1%	
	546-28-1	beta-Cedrene	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1;H304-H316-H410	<0.1%	

Substances with Community workplace exposure limits, not listed above:

EC	CAS	Description	Concentration
204-881-4	128-37-0	Butylated hydroxytoluene	0.55%
201-550-6	84-66-2	Diethyl phthalate	52.51%

4. FIRST AID MEASURES

Eye Contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water.

None expected

Most important symptomsCauses skin irritation.and effects, both acuteMay cause an allergic skin reaction.and delayed:Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed:

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:

Carbon dioxide, Dry chemical, foam.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 Revision 1 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au ABN: 85 765 232 986 Page 3 of 6 Hazardous Combustion Products: In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Special Protective Actions forIn case of insufficient ventilation, wear suitable respiratory equipment.Fire Fighters:

6. ACCIDENTAL RELEASE MEASURES

Protective Equipment:	Avoid inhalation.
	Avoid contact with skin and eyes.
Environmental Precautions:	Keep away from drains, surface and ground water, and soil.
Methods and Suitable materials	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours.
for spill containment and	Contain spillage immediately by use of sand or inert powder. Dispose of according to local
cleaning up:	regulations.

7. HANDLING AND STORAGE

Precautions for safe handling:	Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink. or smoke when using this product.
Conditions for safe storage:	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
Specific end use(s):	Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient	CAS	EC	Description	Ppm	Mg/m3	Reference
Butylated	128-37-0	204-881-4	Long-term exposure	-	-	-
hydroxytoluene			limit (8-hour TWA			
			reference period)			
			Short-term exposure	-	-	-
			limit (15-minute			
			reference period)			
Diethyl	84-66-2	201-550-6	Long-term exposure	-	-	-
phthalate			limit (8-hour TWA			
•			reference period)			
			Short-term exposure	-	-	-
			limit (15-minute			
			reference period)			

Exposure Controls

Eye/Skin Protection:	Wear protective gloves/eye protection/face protection
Respiratory Protection	 Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 Revision 1 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au ABN: 85 765 232 986 Page 4 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Conforms to Standard
Aroma/Odour:	Pine, Fir, Woody Fresh
Relative density:	1.0419 – 1.0559
Flash Point (closed cup test):	85°C
pH:	Not determined
Initial boiling point/range:	Not determined
Vapour pressure:	Not determined
Solubility(ies):	Not determined
Other information:	Not available

10. STABILITY AND REACTIVITY

Reactivity:	Presents no significant reactivity hazard, by itself or in contact with water.
Chemical Stability:	Good stability under normal storage conditions.
Hazardous Reactions:	Not expected under normal conditions of use.
Conditions to Avoid:	Avoid extreme heat.
Incompatibles:	Avoid contact with strong acids, alkalis or oxidising agents.
Hazardous Decomposition Products:	Not expected.

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000 Assumed Toxicity Value (LD50 of ATE) for Acute Dermal Toxicity: >5000 Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available Inhalation Route: Not Available

Information about Hazardous Ingredients in the Mixture:

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Coumarin	91-64-5	202-086-7	500	Not available	Not available	Not available

12. ECOLOGICAL INFORMATION

Toxicity:	Toxic to aquatic life with long lasting effects	
Persistence and degradability:	Not Available	
Bioaccumulative potential:	Not Available	
Mobility in soil:	Not Available	
PBT and vPvB Assessment:	This substance does not meet the PBT/vPVB criteria of REACH, annex XIII	
Other Adverse Effects:	Not Available	

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 Revision 1 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au ABN: 85 765 232 986 Page 5 of 6

13. DISPOSAL CONSIDERATIONS

Disposal:	Dispose of according to local regulations. Avoid disposing into drainage systems and into the		
	environment. Empty containers should be taken to an approved waste handling site for recycling or		
	disposal.		

14. TRANSPORT INFORMATION

UN Number:	UN3082
UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (alpha-Cedrene, Hexyl salicylate)
Transport Hazard Class(es):	9
Sub Risk:	-
Packing Group:	III
Environmental Hazards:	This is an environmentally hazardous substance.
Special Precautions for user:	None additional
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not Applicable

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations Specific for the substance or mixture

Water Hazard Class (WGK)	3
Chemical Safety Assessment	A Chemical Safety Assessment has not been carried out for this product.

16. OTHER INFORMATION

Concentration % Limits:	EH A2=18.85% EH A3=1.80% EH C2=21.13% EH C3=2.10% SCI 2=73. 22% SCI 3=4.37% EDI 2A=45.62% SS 1=29.68%
Total Fractional Values:	EH A2=5.31 EH A3=55.59 EH C2=4.73 EH C3=47.54 SCI 2=1.37 SCI 3=22.87 EDI 2A=2.19 SS 1=3.37
Key to revisions:	SECTION 3: Composition/information on ingredients.

Further Information:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity – Oral Category 4
Acute Tox. 4	Acute Toxicity – Dermal Category 4
Acute Tox. 4	Acute Toxicity – Inhalation Category 4
Acute Tox. 5	Acute Toxicity – Oral Category 5
Acute Tox. 5	Acute Toxicity – Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 Revision 1 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au ABN: 85 765 232 986 Page 6 of 6

Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 3	
Flam. Elq. 4	Flammable Liquid, Hazard Category 4
	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harming in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
TUCI	Dispose of contents/container to approved disposarisite, in accordance with local regulations.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 Revision 1

Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au ABN: 85 765 232 986 Page 7 of 6

Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

Further Information

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.